

Proud to be listed on



GLASS HARDWARE SOLUTIONS

■ ■ Volume 1

W.E.F 01/07/2023

Hardwyn
Since 1965
Perfection Redefined

ABOUT US

57 years of redefining perfection.

We are manufacturers of architectural hardware, Kitchen hardware and glass fittings, providing complete solutions for both residential as well as commercial structures since the past 5 decades. Our constant search for perfection stems from a strong, customer-focused approach and a constant effort towards providing world-class quality. A strong reputation has been earned by focusing on our testing and R&D practices that makes Hardwyn a benchmark of quality.

We have made our presence felt internationally primarily because of our unending endeavor to create a Global Supply Chain and trusted distribution footprint. A wide network of dealers and distributors, have helped establish a reputation for strong customer support. At Hardwyn, we have always believed in caring for the socio-environment, and so we stringently follow green manufacturing practices as an integral part of our vision. Hardwyn is the partner of choice for every domain residential and commercial projects as we keep making rapid strides in the development of the country.

WARM REGARDS
S.S. SAYAL (CHAIRMAN)
HARDWYN INDIA LTD.

Why is Hardwyn The Best ?

Industry Giant

Largest Manufacturer of Door Closer Devices in India.

Established Benchmarks

The First to Get an ISI Mark on Door Closing Devices in India.

Guarantees Excellence

Largest Network of After Sale Service, With over 200 Service Centers across the Country.

Product Certification

Earned Certifications from all the Major Standards Such as Underwriters Laboratories, United Kingdom Accreditation Service, ISO 9000-2000, etc.



Preferred Choice

Largest Range of Door Closer and Floor Spring in India.

Renowned Clientele

Our Devices have been Installed in many Prestigious Buildings, Including 19 Stadiums of Commonwealth Games New Delhi, 2010. As well as the ever Popular Delhi Metro Rail Corporation.

Content

Glass Fittings

•• Floor Springs & Patch Fittings	Page 01 to 05
•• Black Series (Glass Fittings)	Page 06 to 08
•• Point Fixed & Shower Fittings	Page 09 to 15
•• Glass Door Locks & Handles	Page 16 to 17
•• Spider Fittings & Canopy	Page 18 to 20
•• Sliding Door System	Page 21 to 23
•• Glass Sliding Folding System	Page 24 to 25
•• Glass Profile Sliding System	Page 26 to 27
•• Automatic Sensor Door	Page 28 to 29

Euro
SERIES

*Exquisite Detailing
From Unsurpassed
Craftsmanship ..*



Floor Spring Suitable For Glass Doors

Hardwyn Plus+

8500/-



- Weight : Capacity upto 120-150kg
- Double Cylinder Mechanism
- Dimension : 1200mm X 2400mm

HE-7500

5600/-



IS : 6315
CML- 1515543
*Design patent pending



- Design Patent *
- Suitable for Door Size (1070mm x 2250mm)
- Weight Capacity From 80-125kg (with Auto Adjust Mechanism)
- Sturdy Cylinder (52mm)
- Extra Strength with Double Spring
- Conforming to BIS Standard

HE-6400

4100/-



- Weight : Capacity upto 80kg
- Single Spring Mechanism
- Dimension : 915mm X 2200mm

HE-9400

7600/-



- Weight : Capacity upto 150kg
- Double Cylinder Mechanism
- Dimension : 1200mm X 2400mm

HE-8400

7100/-



- Weight : Capacity upto 120kg
- Double Cylinder Mechanism
- Dimension : 1070mm X 2250mm

HE-7400

4100/-



- Weight : Capacity 60 to 80kg
- Dimension : 915mm X 2200mm

HE-8400 (E Series)

5750/-



- Design Patent *
- Suitable for Door Size (1070mm x 2250mm)
- Weight Capacity From 80-125kg (with Auto Adjust Mechanism)
- Sturdy Cylinder (52mm)
- Extra Strength with Double Spring
- Conforming to BIS Standard

HE-6500


4500/-



- Weight : Capacity upto 100 kg
- Single Cylinder Mechanism (52mm)
- Suitable for Door Size (1070mm x 2250mm)

HE-8400 (ISI)

5900/-



IS : 6315
CML- 1515543
*Design patent pending



- Design Patent *
- Suitable for Door Size (1070mm x 2250mm)
- Weight Capacity From 80-125kg (with Auto Adjust Mechanism)
- Sturdy Cylinder (52mm)
- Extra Strength with Double Spring
- Conforming to BIS Standard

TOP & BOTTOM PIVOT MRP. 350 (FOR WOODEN & ALUMINIUM DOOR)



Euro
 SERIES

STOP DIGGING Upgrade to Hardwyn Concealed Floor Spring




PATCH FITTINGS

Fashionable life can be created at any time. Freedom and leisure combine, bringing fashionable air to the living space.

HYDRAULIC PATCH HEHP-100

SPECIFICATIONS :

- Suitable Door Weight : Max 100kg
- Dimension : 915 ~ 2250mm
- Suitable Door Thickness : 8~13mm
- Ambient Temperature : 20C ~ +50C
- Quick and Easy Installation



Top Patch and Hydraulic Patch are of the Same Size

Quick & Easy Installation with Smooth Movement

- No Need to have the pre-set on the floor
- Easy Installation with base seat Adjustable

- ± 3mm backward and forward
- ± 3mm left and right abd
- 4° Alignment Adjustment

FITTING CONSIST OF

- Hydraulic Patch (Bottom)
- Top Patch
- Top Pivot

11900/-



Patch Fittings →

(SS 304 cover of 1.5mm thickness)

HE-10

- Bottom Patch



1500/-

HE-20

- Top Patch



1500/-

HE-30

- Over Panel Patch for the side wall



1600/-

HE-40


- Over Panel Side Patch Connecting Patch



2000/-

HE-70

- Over Panel Connector for Back Doors



9300/-

HE-71

- Bottom Patch



4950/-

HE-81

- Quadrant Connector with Fin



4950/-

HE-130

- Glass Clamping Connector



570/-

HE-140


- Glass to Glass connecting Patch



750/-

HE-509

- Over Panel and Side Panel Connector



1700/-

HE-60L/60RF Clip

- Over Panel, Side Panel Connector with fin fitting right/left



8000/-

HE-800

- Quadrant Connector



2600/-

HE-50

- Corner Patch Lock with Strike Plate Angle Lock



2700/-

HE-502 Gully

- HE-502 Top Pivot



300/-

Stainless Steel Patch Fitting

(Stainless Steel 304 Grade)

HE-SSPF-10

- Bottom Patch



2645/-

HE-SSPF-20

- Top Patch



2645/-

HE-SSPF-30

- Over Panel Patch for Wall Mounting



2875/-

HE-SSPF-40

- Corner Patch
- Over Panel and Side Panel Patch



4545/-

HE-SSPF-50


- Reversible Lock



5750/-

HE-SSPF-70


- Over Panel Patch for Back to Back Doors
- with Pivot Pin 10mm Diameter



10695/-

HE-SSPF-60L


- Corner Patch
- Over Panel Side Panel Connector with Fin



8280/-

HE-SSPF-60R


- Corner Patch
- Over Panel Side Panel Connector with Fin



7935/-

HE-SSPF-502

- Upper Wall Pivot
- Top Pivot with 10mm Diameter Pin



375/-

Black
SERIES



HE-8400 (E Series)



- Design Patent *
- Suitable for Door Size (1070mm x 2250mm)
- Weight Capacity From 80-125kg (with Auto Adjust Mechanism)
- Sturdy Cylinder (52mm)
- Extra Strength with Double Spring
- Conforming to BIS Standard

8050/-

HE-7400



- Weight : Capacity 60 to 80kg
- Dimension : 915mm X 2200mm

5740/-

HE-8400



- Weight : Capacity upto 100-120kg
- Single Cylinder Mechanism
- Dimension : 1070mm X 2250mm

9840/-

HE-6400



- Weight Capacity upto 80kg
- Single Spring Mechanism
- Dimension : 915mm X 2200mm.

5600/-

HE-7500



IS : 6315
CML- 1515543
*Design patent pending

- Design Patent *
- Suitable for Door Size (1070mm x 2250mm)
- Weight Capacity From 80-125kg (with Auto Adjust Mechanism)
- Sturdy Cylinder (52mm)
- Extra Strength with Double Spring
- Conforming to BIS Standard

7100/-

HE-8400 (ISI)



IS : 6315
CML- 1515543
*Design patent pending

- Weight : Capacity upto 120kg
- Single Cylinder Mechanism
- Dimension : 1070mm X 2250mm

7400/-

HE-10

- Bottom Patch



1800/-

HE-20

- Top Patch



1800/-

HE-30

- Over Panel Patch for the side wall



1900/-

HE-40

- Over Panel Side Patch Connecting Patch



2350/-

HE-509

- Over Panel and Side Panel Connector



2000/-

HE-50

- Corner Patch Lock with Strike Plate Angle Lock



3200/-

HE-502 Gully

- HE-502 Top Pivot



375/-

HPH-141

- (H" Shape)
Dimension : 32x450
H to H : 300
Length : 450



2200/-

HEML-57A

- Wall to Glass Lock



2500/-

HEML-57B

- Glass to Glass Lock



3200/-

HEMGSF-5(F)

- Roller Assembly (full set)
One Set-2 Roller, 2 Door Stoppers, 1 Floor Guide, 1 Sliding Handle



6400/-

HEMGSF-10(F)

- Roller Assembly (full set)
One Set-2 Roller, 2 Door Stoppers, 1 Floor Guide, 1 Sliding Handle



5400/-

HEMGSF-70

- For Single Sliding Door



6500/- 4mtr.
8000/- 5mtr.

HEMGSF-80

- For a Sliding leaf & a fixed Panel



7600/- 4mtr.
9600/- 5mtr.

MID Series (New Launch)

(Material : Stainless Steel 304)

HESSSHM-1A

- Wall to Glass Hinge 90°
One Side



2265/-

HESSSHM-1

- Wall to Glass Hinge 90°



2160/-

HESSSHM-2

- Glass to Glass Hinge 180°



3120/-

HESSSHM-3

- Glass to Glass Hinge 135°



3120/-

HESSSHM-4

- Glass to Glass Hinge 90°



3200/-

HESSSHM-5

- Wall to Glass (for fixed Glass)



1900/-

HYDRAULIC PATCH HEHP-100

FITTING CONSIST OF

- Hydraulic Patch (Bottom)
- Top Patch
- Top Pivot



12500/-

Flat Series

(Material : 304, Thickness 5mm)

Available in SS Finish

HEGCF-01

- Fixed for Floor mounting



480/-

HEGCF-02

- Glass to Glass Connector 135°



730/-

HEGCF-03

- Glass to Glass Connector 90°



730/-

HEGCF-04

- Wall to Wall Connector 90°



550/-

HEGCF-05

- Glass to Glass Connector 180°



730/-

Economy Series

(Material : 304, Thickness 3mm)

Available in SS / CP Finish

HEGC-01

- Fixed for Floor mounting



394/-

HEGC-02

- Glass to Glass Connector 135°



455/-

HEGC-03

- Glass to Glass Connector 90°



455/-

HEGC-04

- Wall to Wall Connector 90°



357/-

HEGC-05

- Glass to Glass Connector 180°



455/-

Knight Head Accessories

(Stainless Steel 304 Grade)

Available in SS / CP Finish

HESKH-1

- Reinforcing Bar with wall Connector



490/-

HESKH-2

- Reinforcing Bar Support with Though Hole



590/-

HESKH-3

- Pipe Connector



990/-

HEPRSF-011



530/- Running Ft.

HE-500

- Tower Bar with Handle



1790/-

Shower Handle

Point Fixed Architectural Glass fittings

(Material : Stainless Steel 304 Grade)



HEPPF-10

▪ Bottom Pole

5175/-

HEPPF-30A

▪ Top Pivot (to be fixed on to a secured over Panel)

5290/-



HEPPF-20

▪ Top Pole for Pivot

5175/-



HEPPF-DST-01

▪ Door Stopper

1380/-



HEPPF-40L / 40R

▪ Over Panel Side Panel Connector with Pivot



10810/-

ADJ-TOOL

▪ Adjustable Screw Key



920/-

HEPPF-30

▪ Over Panel Patch for wall Mounting



7420/-

HEPPF-DST-02

▪ Door Stopper



1095/-

HEPPF-509L / 509R

▪ Over Panel Side Panel Connector



6785/-

HEPFGC-10

▪ Wall to Glass Connector



52.5mm	1955/-
60mm	2195/-
82mm	2195/-
103mm	2360/-

HEPFGC-10A

▪ Floor / Ceiling Glass Connector 90°



75mm	1955/-
103mm	2115/-

HEPFGC-20

▪ Glass to Glass Connector



52.5mm	1865/-
60mm	1955/-
82mm	2140/-
103mm	2425/-

HEPFGC-20A


▪ Through Glass Connector (for 90° Partitioning)



52.5mm	3898/-
60mm	4015/-
82mm	4350/-
103mm	4590/-

Glass / Wall Corner Connector

▪ Connecting Rod





SHOWER ENCLOSURE FITTINGS_



MID Series (New Launch)
 (Material : Stainless Steel 304)

Available in C.P & S.S. Finish

HESSHM-1A

- Wall to Glass Hinges 90° One Side



1915/-

HESSHM-1

- Wall to Glass Hinges 90°



1810/-

HESSHM-2

- Glass to Glass Hinges 180°



2720/-

HESSHM-3


- Glass to Glass Hinges 135°



2770/-

HESSHM-4

- Glass to Glass Hinges 90°



2880/-

HESSHM-5

- Wall to Glass (for fixed Glass)



1730/-

Economy Series
 (Material : Brass & Zinc)

Available in CROME Finish (CP)

HESH-1A

- Wall to Glass Hinges 90° Single Side



1595/-

HESH-1

- Wall to Glass Hinges 90°



1490/-

HESH-2

- Glass to Glass Hinges 180°



2130/-

HESH-3

- Glass to Glass Hinges 135°



2130/-

HESH-4

- Glass to Glass Hinges 90°



2235/-

HESH-5

- Wall to Glass (for fixed Glass)



1435/-

Flat Series

(Material 304, Thickness 5mm)

Available in SS Finish

HEGCF-01

▪ Fixed for floor Mounting



346/-

HEGCF-02

▪ Glass to Glass connector 135°



525/-

HEGCF-03

▪ Glass to Glass connector 90°



525/-

HEGCF-04

▪ Wall to Glass connector 90°



367/-

HEGCF-05

▪ Glass to Glass connector 180°



525/-

Economy Series

(Material 304, Thickness 3mm)

Available in SS / CP Finish

HEGC-01

▪ Fixed for floor Mounting



235/-

HEGC-02

▪ Glass to Glass connector 135°



325/-

HEGC-03

▪ Glass to Glass connector 90°



325/-

HEGC-04

▪ Wall to Glass connector 90°



255/-

HEGC-05

▪ Glass to Glass connector 180°




325/-

Plastic Profile

Available for 10 & 12mm Glass

HEPS-010


▪ 180° Weather Seal



230/-

HEPS-011


▪ 180° Weather Seal



230/-

HEMS-012


▪ 180° Magnetic Seal



980/-

HEMS-013


▪ 135° Magnetic Seal



980/-

HEMS-014


▪ 90° Magnetic Seal



980/-

HEMS-015

▪ Offset Lip Seal



230/-

Shower Handle

HE-500



▪ Towel Bar with Handle
▪ Available in
SS / CP Finish

1575/-

Knight Head Accessories

(Stainless Steel 304, Grade)

Available in SS / CP Finish

HESKH-1

▪ Reinforcing Bar with wall Connector



410/-

HESKH-2

▪ Reinforcing Bar Support
Wall Through Hole



465/-

HESKH-3

▪ Pipe Connector



830/-

HEBDK-600

▪ Glass Door Knob



945/-

Glass Door Handle with Lock
(Stainless Steel 304 Grade)


Available in SS Finish



HEDL-200

- Glass Door Locking Handle (Round) Key & Knob

Overall length of Handle	Handle Diameter
1500mm	35 mm
Glass Preparation Details	
Dimension - As illustrated	
Hole Diameter - 16mm on attachment Points	
22mm for lock point	



14040/-

PILLAR FOR RAILING (SPIGOT)

(Material : Stainless Steel)

<p>HRAS-9</p> <ul style="list-style-type: none"> ▪ Spigot (Rectangle Big) <p>4900/-</p>	<p>HRAS-6</p> <ul style="list-style-type: none"> ▪ Spigot (Square Big) <p>2000/-</p>	<p>HRAS-4</p> <ul style="list-style-type: none"> ▪ Spigot (Square Small) <p>1625/-</p>	<p>HRAR-6</p> <ul style="list-style-type: none"> ▪ Spigot (Round Big) <p>2000/-</p>	<p>HRAR-4</p> <ul style="list-style-type: none"> ▪ Spigot (Round Small) <p>1625/-</p>	<p>HRA-5</p> <ul style="list-style-type: none"> ▪ Glass to Handrail <p>1125/-</p>
<p>HRA-6</p> <ul style="list-style-type: none"> ▪ Wall to Handrail <p>1125/-</p>	<p>HRA-7 (Dolphin type)</p> <ul style="list-style-type: none"> ▪ Pipe to Handrail Solid Casted <p>1250/-</p>	<p>HRA-9E</p> <ul style="list-style-type: none"> ▪ Railing Twin Stud <p>1500/-</p>	<p>HRA-10A</p> <ul style="list-style-type: none"> ▪ Railing Stud 45mm <p>1200/-</p>	<p>HRA-10B</p> <ul style="list-style-type: none"> ▪ Railing Stud 48mm (Adjustable) <p>1875/-</p>	<p>HRA-11</p> <ul style="list-style-type: none"> ▪ Slotted Pipe Jointer 180° <p>4000/-</p>
<p>HRA-12</p> <ul style="list-style-type: none"> ▪ Slotted Pipe Jointer 90° <p>4000/-</p>	<p>HRA-13</p> <ul style="list-style-type: none"> ▪ Slotted Pipe Jointer 90° (L) Type <p>4000/-</p>	<p>HRA-14</p> <ul style="list-style-type: none"> ▪ Straight Jointer <p>4000/-</p>	<p>HRA-15</p> <ul style="list-style-type: none"> ▪ wall to Slotted Pipe Jointer <p>4000/-</p>	<p>HRA-16</p> <ul style="list-style-type: none"> ▪ Slotted Pipe End Cap <p>2000/-</p>	
<p>HRA-17</p> <ul style="list-style-type: none"> ▪ Single Slotted Round Pipe ▪ Available in 6mtr. Length <p>1625/-Running Ft.</p> <p>50.8mm</p> <p>Slot Size 15mmx15mm 20mmx20mm</p>	<p>HRA-18</p> <ul style="list-style-type: none"> ▪ Double Slotted Round Pipe ▪ Available in 6mtr. Length <p>1625/-Running Ft.</p> <p>50.8mm</p> <p>Slot Size 15mmx15mm</p>	<p>HRA-19</p> <ul style="list-style-type: none"> ▪ Single Slotted Square Pipe ▪ Available in 6mtr. Length <p>1625/-Running Ft.</p> <p>Slot Size 15mmx15mm 40mmx60mm</p>	<p>HRA-20</p> <ul style="list-style-type: none"> ▪ Single Slotted Curve Pipe ▪ Available in 6mtr. Length <p>1625/-Running Ft.</p> <p>Slot Size 15mmx15mm</p>		

Glass Door Handle (SS)
 (Stainless Steel 304 Grade)

Available in SSS / Combi Finish

ITEM NO.	DESCRIPTION			PER	MRP.	
HPH-140 ("D" Shape)	Dimension	H to H	Length			
	22x200	200	200	Set	1125/-	
	22x250	250	250	Set	1180/-	
	22x300	300	300	Set	1260/-	
	32x450	450	450	Set	1855/-	
	32x600	600	600	Set	2590/-	
	32x900	900	900	Set	4355/-	
	32x1200	1200	1200	Set	6005/-	
32x1500	1500	1500	Set	7650/-		
HPH-141 ("H" Shape)	Dimension	H to H	Length			
	22x200	150	200	Set	1060/-	
	22x250	200	250	Set	1125/-	
	22x300	200	300	Set	1200/-	
	32x450	300	450	Set	1785/-	
	32x600	400	600	Set	3060/-	
	32x900	600	900	Set	4475/-	
	32x1200	1080	1200	Set	6240/-	
32x1500	1200	1500	Set	7885/-		
HPH-142 ("S" Shape)	Dimension	H to H	Length			
	22x200	150	200	Set	1160/-	
	22x250	200	250	Set	1220/-	
	22x300	200	300	Set	1295/-	
	32x450	300	450	Set	1915/-	
	32x600	400	600	Set	2770/-	
	32x900	600	900	Set	4945/-	
	32x1200	1080	1200	Set	6475/-	
32x1500	1200	1500	Set	8120/-		
HPH-143 ("Rectangle" Shape)	Dimension	H to H	Length			
	22x200	200	200	Set	1150/-	
	22x250	250	250	Set	1210/-	
	22x300	300	300	Set	1285/-	
	32x450	450	450	Set	1855/-	
	32x600	600	600	Set	2710/-	
	32x900	900	900	Set	4475/-	
	32x1200	1200	1200	Set	6005/-	
32x1500	1500	1500	Set	7535/-		



Spider Fitting With Fin

(Stainless Steel 316 Grade) Hole to Hole-200mm

*Rates are without Routels

HESF-01

▪ One Way Spider



2940/-

HESF-02

▪ Two Way Spider



5760/-

HESF-02A

▪ Two Way Spider



3360/-

HESF-04

▪ Four Way Spider



7020/-

Spider Fitting Without Fin

(Stainless Steel 316 Grade) Hole to Hole-220mm

HEPSF-01

▪ One Way Spider



3960/-

HEPSF-02(90°)

▪ Two Way Spider(90°)



4800/-

HEPSF-02(180°)

▪ Two Way Spider(180°)



4800/-

HEPSF-03

▪ Three Way Spider



5880/-

HEPSF-04


▪ Four Way Spider



6960/-

Available in SSS Finish

Canopy Fitting



HECF-10

▪ Glass / Wall Corner Connector



3675/-

HECF-20

▪ Sliding Fixing Connected with Glass



3465/-

HECF-30


▪ Wall to Rod Corner Connector
 Maximum Weight Capacity 100kg.



2625/-

HECF-40 (1.5 mtr.)

▪ Canopy Rod



3045/-

Routel Series (Point Fixed Routels / Fixing Bolts)

HE-AFB-36-FL

- Articulated Routel Flat Head Bolt



2150/-

HE-AFB-36-CS

- Articulated Routel Countersunk Head Bolt



2020/-

HE-FB-CS

- Fixed Routel Countersunk Head Bolt



1200/-

HE-FB-FL

- Fixed Routel Countersunk Head Bolt



1200/-

Fin Plate (HE-FP-200 / 300 / 350 / 400mm)

HE-FP-200mm

- Fin Plate Flat Base to Hole Strongly with Floor or Ceiling



6180/-

HE-FP-300mm

- Fin Plate Flat Base to Hole Strongly with Floor or Ceiling



7560/-

HE-FP-350mm


- Fin Plate Flat Base to Hole Strongly with Floor or Ceiling



8190/-

HE-FP-400mm

- Fin Plate Flat Base to Hole Strongly with Floor or Ceiling



8820/-

Panic Bars

HE-PB-300R-SS

- Series Rim Type Panic Device to be Installed on to the Push Side of the Door leaf



13110/-

HE-PB-400V-SS

- Series Rim Type Panic Device to be Installed on to the Push Side of the Door leaf



14500/-

Spice Plate HE-SP-200 / 300 / 350 / 400mm

SPICE PLATE

- Three Point Holding with Each Fin Part
- Elongated Holes Allows Installation Flexibility
- Teflon washers to Prevent Damage to Glass
- To Hold Two Pieces of Fin Together

5670/- 200mm

8820/- 350mm

7820/- 300mm

9330/- 400mm



Pipe Sliding Fitting
(Material : Stainless Steel)

Available for 10-12mm Glass
Finish : SSS

Glass Sliding Fitting Set			
HEPRSF-001 2Pcs.	HEPRSF-005 4Pcs.	ADJ-Tool 1Pcs.	
HEPRSF-001 1PCS	HEPRSF-012 2PCS		
			27555/-

HEPRSF-001 (Per Pcs)

- Sliding Door Roller (Flat)



4830/-

HEPRSF-002 (Per Pcs)

- Sliding Door Roller (Round)



4830/-

HEPRSF-003

- Clamp Fixing For track
- Connection with wall



2120/-

HEPRSF-004

- Clamp Fixing For track
- Connection with top ceiling



4180/-

HEPRSF-005

- Clamp Fixing for Track
- Connection with Glass



2900/-

HEPRSF-006

- Clamp Fixing for Track
- Connection with top ceiling



4180/-

HEPRSF-007

- Fixing Fitting for
- Glass to Glass



2940/-

HEPRSF-008

- Wall Socket for Track
- HEPRSF-011



1855/-

HEPRSF-009

- Door Stopper (Round)



1165/-

HEPRSF-010

- Wall Socket for Track
- HEPRSF-011



2780/-

HEPRSF-011

- Rod Dia - 25mm



410/- Running Ft.

HEPRSF-012

- Door Stopper (Flat)



1545/-

Pipe Sliding Fitting (80 kg)
(Material : Stainless Steel)

Available for 10-12mm Glass
Finish : SSS

HEPSSF-01

- Square Sliding Fitting



4535/-

HEPSSF-02

- Floor Guide (Oval)



6521/-

HEPSSF-03

- Door Stopper



1195/-

HEPSSF-04

- Clamp Fixing for Wall to Track



2233/-

HEPSSF-05

- Clamp Fixing for Wall to Track



1970/-

ADJ-TOOL

- Adjustable Screw Key



970/-

Motion Gate Series

(Material : Stainless Steel 304 Grade)

Available for 10-12mm Glass



HEMGSF-5(F)

- Roller Assembly (Full Set)
 One Set-2 Roller, 2 door Stoppers,
 1 floor Guide, 1 Sliding Handle



5775/-

HEMGSF-10(F)

- Roller Assembly (Full Set)
 One Set-2 Roller, 2 door Stoppers,
 1 floor Guide, 1 Sliding Handle



4725/-

HEMGSF-40

- Cover Plate for Track



265/-

HEMGSF-50

- To Hold Track with wall



828/-

HEMGSF-60

- To Mount the Track with Glass



640/-

HEMGSF-70

- For Single sliding Door



5880/- 4mtr.
 7345/- 5mtr.

HEMGSF-80

- For a Sliding leaf & a Fixed Panel



6945/- 4mtr.
 8710/- 5mtr.

HEMGSF-90

- For Two Parallel Sliding Door



12899/- 4mtr.
 16210/- 5mtr.

HEMGSF-100

- Stable Handling for the Door



1655/-

HEMGSF-110

- To Lock Sliding Door with Side Panel



4850/-

HEMGSF-120

- Single Point Fixing
 ▪ Non Adjustable 6mm



634/-

HEMGSF-130

- Single Point Fixing
 ▪ Adjustable 8.5mm to 10.5mm



910/-

HEMGSF-140

- Single Point Fixing
 ▪ Adjustable 10.5mm to 12.5mm



1030/-

HEMGSF-150

- Single Point Fixing
 ▪ Adjustable 12.5mm to 14.5mm



1152/-

Glass Door Shower Sliding System

(Material : Stainless Steel 304 Grade)



HESSF-2A System (2000mm)

- Rollers 2 Set
- Track to Glass Holder 2 Pc
- Stopper 2 Pc
- Floor Guide 1 Pc
- Wall to Track Connector 2 Pc
- Sliding Door Track 2mt. 1Pc
- Round Handle 1 Pc

14900/-

Finish : PSS / SSS

HESSF-02

- Floor Guide



635/-

HESSF-2A

- Sliding Door Roller Set



6815/-

HESSF-2B

- Track to Glass Holder



2080/-

HESSF-2C

- Stopper



1040/-

HESSF-2D

- Wall to Track Connector



520/-

HESSF-2G

- Connector Track Available in 2 mt. Length



2540/-

HEMGSF-100

- Door Handle



1735/-

HEMGSF-110

- Sliding Door Lock



5080/-

Glass Door Locks (Glass Cutout not required)

(Material : Stainless Steel)

Available for 10 - 12mm Glass

HEML-57A

- Wall to Glass Lock



2200/-

HEML-57B

- Glass to Glass Lock



2700/-

HEML-58A

- Wall to Glass Turn Knob Lock



1150/-

HEML-58B

- Stirk Box for HEML 58 A



1650/-

















Glass Sliding Solution

- R1 Provides an Extensive Range of Glass Sliding System and Partition Sliding System
- These are Available in Various Finishes: Satin and Black Matt.
- These are Required in Various Application in Showroom, Home, Mall, and Airport & Other Places.
- Every Hardware Fittings is Test for Quality, Stability and Safety as Per International Standard.

Glass Sliding Folding System

Stainless steel 304Grade


Finish : S.S.

 H1-SFS-101 H ▪ Wall to Glass Hinge 5800/-	 H1-SFS-101 P ▪ Fixed Hinge for Top Pivot 6090/-	 H1-SFS-101 B ▪ Fixed Hinge with Bottom Pivot 6090/-	 H1-SFS-102 A ▪ Glass to Glass Center Hinge 8555/-	 H1-SFS-102 B ▪ Glass to Glass Center Hinge with floor lock 10510/-
 H1-SFS-103 A ▪ Glass to Glass Center Hinge Roller 10875/-	 H1-SFS-103 B ▪ Glass to Glass Center Hinge Guide 9425/-	 H1-SFS-104 A ▪ End Hinge with Roller 7250/-	 H1-SFS-104 B ▪ End Hinge with Guide 6160/-	 H1-SFS-105 (L/R) ▪ End Panel Fitting with floor lock 5620/-
 H1-SFS-106 ▪ Center Hinge with Handle 9790/-	 H1-SFS-107 ▪ Center Partition Handle 4060/-	 H1-SFS-01 ▪ Top Track (12 Ft.) Aluminium 8340/-	 H1-SFS-02 ▪ Bottom Track (12 Ft.) Aluminium 5620/-	

H1-SFS-101-Satin

Ordering Information for Glass Sliding Folding System-H1-SFS-101


Item Code	H1-SFS-101 P H1-SFS-101 B	H1-SFS-102 A H1-SFS-102 B	H1-SFS-103 A H1-SFS-103 B	H1-SFS-104 A H1-SFS-104 B	MRP ()
No. of Panels 02	1 Set	1 Set	-	1 Set	44655/-
No. of Panels 03	1 Set	1 Set	1 Set	-	51545/-
No. of Panels 04	1 Set	2 Set	1 Set	1 Set	84020/-
No. of Panels 05	1 Set	2 Set	2 Set	-	90910/-
No. of Panels 06	1 Set	3 Set	2 Set	1 Set	123385/-



H1-SFS-102-Satin

Ordering Information for Glass Sliding Folding System-H1-SFS-102


Item Code	H1-SFS-101 H H1-SFS-101 H	H1-SFS-102 A H1-SFS-102 B	H1-SFS-103 A H1-SFS-103 B	H1-SFS-104 A H1-SFS-104 B	MRP ()
No. of Panels 02	1 Set	1 Set	-	1 Set	44075/-
No. of Panels 03	1 Set	1 Set	1 Set	-	50965/-
No. of Panels 04	1 Set	2 Set	1 Set	1 Set	83440/-
No. of Panels 05	1 Set	2 Set	2 Set	-	90330/-
No. of Panels 06	1 Set	3 Set	2 Set	1 Set	122805/-



Glass Sliding Folding System H1-SFS-103

Stainless steel 304Grade

Finish : S.S.






H1-SFS-103-Satin

Ordering Information for Glass Sliding Folding System-H1-SFS-103 (Satin)

Item Code	H1-SFS-101 P H1-SFS-101 B	H1-SFS-102 A H1-SFS-106 H1-SFS-102 B	H1-SFS-103 A H1-SFS-102 A H1-SFS-103 B	H1-SFS-104 A H1-SFS-104 B	MRP ()
No. of Panels 02	1 Set	1 Set	-	1 Set	54445/-
No. of Panels 03	1 Set	1 Set	1 Set	-	69890/-
No. of Panels 04	1 Set	2 Set	1 Set	1 Set	112155/-
No. of Panels 05	1 Set	2 Set	2 Set	-	127600/-
No. of Panels 06	1 Set	3 Set	2 Set	1 Set	169865/-


Automatic Sensor Door - HEASD150

(Safety Beam Sensor In-Built-Both Side)



Drive Mechanism

- Magnetic Brush less Servo Motor




Control Console

- Smart Self-learning Closed Loop
- Servo Control System



Durable Stainless Steel Rail


- Made of Aluminium Alloy



Engine Case & Cover




Hanger Block



Self-Cleaning Mechanism

- Smooth Operation in the Dustiest of Environments



Complete Set (AUTOMATIC SLIDING DOOR)	183000/-
Spare Parts	Rate
▪ DC Motor	39690/-
▪ Microprocessor Control Board	46305/-
▪ Microwave Sensor	16538/-
▪ Remote Control	4410/-
▪ Aluminium Guide Rail, 2*2.1m	25358/-
▪ Transmission Belt	6615/-
▪ Spring Tention Wheel	5515/-
▪ Hanging Wheel	5515/-
▪ Safety Beam Eye Sensor. 2Group/Set: 1Group /set	13230/-
▪ Wall Selector	14335/-
▪ Door Claamp, 2Pcs/Set	8270/-
▪ Electric Bolt Lock	15435/-

Form			Single-open	Double-open
Door Weight			150kg*1	150kg*2
Item	Specification	Drawing	Quantity	
Motor	HEASD0681		1	1
Hanging shelf	HEASD0601		2	4
Tail wheel	HEASD0602		1	1
Strap fixed seat	HEASD0603		1	1
Double-open Strap fixed seat	HEASD0604		-	1
Strap	HEASD0605		1	-
Single - open(3.2m)			-	1
Double -open(6.9m)				
Arrester	HEASD0606		2	2
Controller	HEASD0683		1	1
Wiring	HEASD0607		1	1
Centre belt seat device	HEASD0608		-	1
Direction tag	HEASD0609		4	4
Sensor	HEASD0685		2	2
Guarantee construction instruction			1	1



Hardwyn India Limited
B- 101, Mayapuri Inds. Area, Phase - 1
New Delhi - 110064
Customer Care No. +91-9212373715
Email: info@hardwyn.com

An ISO 9001: 2015 Company

Experience Centre
New Delhi
2/69, WHS, Kirti Nagar
New Delhi - 110015
Ph.: 011-41054792

 [linkedin.com/company/hardwynindialimited](https://www.linkedin.com/company/hardwynindialimited)
 [facebook.com/Hardwynindia](https://www.facebook.com/Hardwynindia)
 [instagram.com/hardwynindia](https://www.instagram.com/hardwynindia)
www.hardwyn.com

Product shown are for illustrative purpose only and may vary from actual product.